

### Cranberry Glades Botanical Area Bird Inventory

Bird names in bold print have been sighted in this region; non-bold bird names have been sighted in Pocahontas County.



	Habitat	Status	Abundance	Habitat Codes	NOTES
<b>Loons</b>				E=Forest/field edges	
Red-throated Loon	W	M	R	F=Fields and clearings	
Common Loon	W	M	O	G=Generalist, variety of habitats	
<b>Grebes</b>				H=Hardwood forests	
Pied-billed Grebe	W	M	O	M=Mountain Cliffs	
Horned Grebe	W	M	O	P=Pine forests	
<b>Cormorants</b>				R=Towns and residential areas	
Double-Crested Cormorant	W	M	R	S=High elevation – spruce forests	
<b>Hérons &amp; Bitterns</b>				T-Thickets, heaths	
				W=Wetlands, streams, open waters	
				<b>Status Codes</b>	
				E=Exotic, introduced birds	
				M=Spring and fall migrant	
Great Blue Heron	W	P	O	P=Permanent, occurs in WV year round	
Great Egret	W	S	O	S=Summer resident	
Green Heron	W	S	C	V=Visitant, appears in WV regularly	
				W=Winter resident	
<b>Vultures</b>				<b>Abundance Codes</b>	
Black Vulture	G	S	O	C=Commonly encountered in WV	
Turkey Vulture	G	S	C	O=Occasionally encountered in WV	
<b>Waterfowl</b>				R=Rarely encountered in WV	
Snow Goose	W	M	R		
<b>Canada Goose</b>	W, F	P	C	N - Neotropical	
Tundra Swan	W	M	O		
<b>Wood Duck</b>	W	S	C		
Gadwall	W	M	O		
American Wigeon	W	M	C		
American Black Duck	W	P	C		
<b>Mallard</b>	W	P	C		
Blue-winged Teal	W	S, M	O		
Northern Pintail (N)	W	M	O		
Green-winged Teal **	W	S, M	O		
Ring-necked Duck	W	M	C		
Lesser Scaup	W	M	C		
Bufflehead	W	M	O		
Hooded Merganser	W	S, M	O		
Red-breasted Merganser	W	M	O		
Ruddy Duck	W	M	O		
<b>Eagles &amp; Hawks</b>					
Osprey (N) **	W	S, M	O		
<b>Bald Eagle **</b>	H, W	S	O		
Northern Harrier **	W	S, M	O		
<b>Sharp-shinned Hawk</b>	H, S	P	O		
<b>Cooper's Hawk</b>	H, E	P	O		
<b>Northern Goshawk **</b>	H, S	P	R		
<b>Red-shouldered Hawk</b>	H	S	O		
<b>Broad-winged Hawk (N)</b>	H	S, M	O		
<b>Red-tailed Hawk</b>	E, F	P	C		
<b>Rough-legged Hawk</b>	E, F	M, W	R		
<b>Golden Eagle</b>	M, G	M	R		

### Cranberry Glades Botanical Area Bird Inventory

Bird names in bold print have been sighted in this region; non-bold bird names have been sighted in Pocahontas County.



		Habitat	Status	Abundance	Habitat Codes	NOTES
<b>Falcons</b>					<b>Habitat Codes</b>	
	American Kestrel	E, F	P	C	E=Forest/field edges F=Fields and clearings	
<b>Gamebirds</b>					G=Generalist, variety of habitats	
	<b>Ruffed Grouse</b>	H	P	C	H=Hardwood forests	
	<b>Wild Turkey</b>	H, F	P	C	M=Mountain Cliffs	
	Northern Bobwhite	F	P	O	P=Pine forests	
<b>Rails, Gallinules &amp; Coots</b>					R=Towns and residential areas S=High elevation – spruce forests T=Thickets, heaths	
	American Coot **	W	M	O	W=Wetlands, streams, open waters	
<b>Plovers</b>					<b>Status Codes</b>	
	Killdeer	F, R	S, M	C	E=Exotic, introduced birds M=Spring and fall migrant	
<b>Sandpipers</b>					P=Permanent, occurs in WV year round S=Summer resident	
	Common Snipe **	W	S, M	O	V=Visitant, appears in WV regularly	
	<b>American Woodcock</b>	W, T	S, M	O	W=Winter resident	
<b>Gulls &amp; Terns</b>					<b>Abundance Codes</b>	
	Herring Gull	W	M, W	O	C=Commonly encountered in WV O=Occasionally encountered in WV R=Rarely encountered in WV	
<b>Doves</b>					N - Neotropical	
	Rock Dove	M, R	P, E	C		
	<b>Mourning Dove</b>	F, R	P, E	C		
<b>Cuckoos</b>						
	<b>Black-billed Cuckoo (N)</b>	H	S, M	O		
	<b>Yellow-billed Cuckoo (N)</b>	H, T, E	S, M	C		
<b>Owls</b>						
	<b>Eastern Screech-Owl</b>	H, E	P	C		
	Great Horned Owl	H, E	P	C		
	<b>Barred Owl</b>	H	P	C		
	Short-eared Owl	F, W	M	R		
	<b>Northern Saw-whet Owl</b>	S, P, H	P	R		
<b>Goatsuckers</b>						
	Common Nighthawk (N)		S, M	O		
	Whip-poor-will (N)		S, M	O		
<b>Swifts</b>						
	<b>Chimney Swift (N)</b>	R, F	S, M	C		
<b>Hummingbirds</b>						
	<b>Ruby-thr. Hummingbirds (N)</b>	E, R	S, M	C		
<b>Kingfishers</b>						
	<b>Belted Kingfisher (N)</b>	W	P	C		
<b>Woodpeckers</b>						
	Red-headed Woodpecker	H, E	P	R		
	<b>Red-bellied Woodpecker</b>	H	P	C		
	<b>Yellow-bellied Sapsucker **</b>	H, S	P	R		
	<b>Downy Woodpecker</b>	H, E	P	C		
	<b>Hairy Woodpecker</b>	P, H, S	P	C		
	<b>Northern Flicker</b>	H, S	S, M	C		
	<b>Pileated Woodpecker</b>	H	P	C		

### Cranberry Glades Botanical Area Bird Inventory

Bird names in bold print have been sighted in this region; non-bold bird names have been sighted in Pocahontas County.



	Habitat	Status	Abundance	Habitat Codes	NOTES
<b>Flycatchers</b>				<b>Habitat Codes</b>	
<b>Olive-sided Flycatcher (N) **</b>	S	S	R	E=Forest/field edges	
<b>Eastern Wood Pewee (N)</b>	H	S	C	F=Fields and clearings	
<b>Yellow-bellied Flycatcher (N) **</b>	S	S, M	R	G=Generalist, variety of habitats	
<b>Acadian Flycatcher (N)</b>	H	S	C	H=Hardwood forests	
<b>Alder Flycatcher (N)</b>	T, W	S	O	M=Mountain Cliffs	
<b>Willow Flycatcher (N)</b>	T, W	S	O	P=Pine forests	
<b>Least Flycatcher (N)</b>	H, E	S	O	R=Towns and residential areas	
<b>Eastern Phoebe (N)</b>	E, M	S	C	S=High elevation – spruce forests	
<b>Great Crested Flycatcher (N)</b>	H	S	C	T=Thickets, heaths	
<b>Eastern Kingbird (N)</b>	E, F	S	C	W=Wetlands, streams, open waters	
<b>Shrikes</b>				<b>Status Codes</b>	
<b>Loggerhead Shrike</b>	F, T	S	R	E=Exotic, introduced birds	
				M=Spring and fall migrant	
<b>Vireos</b>				P=Permanent, occurs in WV year round	
<b>White-eyed Vireo (N)</b>	T, E	S	O	S=Summer resident	
<b>Blue-headed Vireo (N)</b>	H, S	S	C	V=Visitant, appears in WV regularly	
<b>Yellow-throated Vireo (N)</b>	H	S	O	W=Winter resident	
<b>Warbling Vireo (N)</b>	H	S	O		
<b>Red-eyed Vireo (N)</b>	H	S	C	<b>Abundance Codes</b>	
				C=Commonly encountered in WV	
<b>Jays &amp; Crows</b>				O=Occasionally encountered in WV	
<b>Blue Jay</b>	H, R	P	C	R=Rarely encountered in WV	
<b>American Crow</b>	H, F, E	P	C		
<b>Common Raven</b>	H, S, M	P	C	N - Neotropical	
<b>Larks</b>					
<b>Horned Lark</b>	F	P	O		
<b>Swallows</b>					
<b>Purple Martin (N)</b>	R, F	M, S	C		
<b>Tree Swallow (N)</b>	H, E	M, S	C		
<b>N. Rough-wg Swallow (N)</b>	E, W, F	M, S	C		
<b>Bank Swallow (N)</b>	W	M	R		
<b>Cliff Swallow (N)</b>	F	S, M	O		
<b>Barn Swallow (N)</b>	F	S	C		
<b>Chickadees &amp; Titmice</b>					
<b>Black-capped Chickadee</b>	H, P, S	P	C		
<b>Tufted Titmouse</b>	H, P	P	C		
<b>Nuthatches</b>					
<b>Red-breasted Nuthatch</b>	S, H	P	O		
<b>White-breasted Nuthatch</b>	H	P	C		
<b>Creepers</b>					
<b>Brown Creeper</b>	H, S	P	O		
<b>Wrens</b>					
<b>Carolina Wren</b>	H, R	P	C		
<b>Bewick's Wren **</b>	F	S	R		
<b>House Wren</b>	F, T, R	S	C		
<b>Winter Wren</b>	S, H	P	O		
<b>Sedge Wren **</b>	F, W	S	R		
<b>Kinglets &amp; Gnatcatchers</b>					
<b>Golden-crowned Kinglet</b>	S, H	P	C		
<b>Ruby-crowned Kinglet</b>	H	M, W	O		
<b>Blue-gray Gnatcatcher (N)</b>	H	S	C		

### Cranberry Glades Botanical Area Bird Inventory

Bird names in bold print have been sighted in this region; non-bold bird names have been sighted in Pocahontas County.



		Habitat	Status	Abundance	Habitat Codes	NOTES
<b>Thrushes</b>					<b>Habitat Codes</b>	
	<b>Eastern Bluebird</b>	F, E	P	C	E=Forest/field edges	
	<b>Veery (N)</b>	H, S	S, M	O	F=Fields and clearings	
	<b>Swainson's Thrush (N)</b>	S	S, M	O	G=Generalist, variety of habitats	
	<b>Hermit Thrush (N)</b>	S, H	S, M	O	H=Hardwood forests	
	<b>Wood Thrush (N)</b>	H	S	C	M=Mountain Cliffs	
	<b>American Robin</b>	G	P	C	P=Pine forests	
					R=Towns and residential areas	
					S=High elevation – spruce forests	
<b>Mockingbirds &amp; Thrashers</b>					T-Thickets, heaths	
	<b>Gray Catbird (N)</b>	H, T	S	C	W=Wetlands, streams, open waters	
	<b>Northern Mockingbird</b>	T, F	P	O		
	<b>Brown Thrasher</b>	T, F	S	C	<b>Status Codes</b>	
					E=Exotic, introduced birds	
<b>Starlings</b>					M=Spring and fall migrant	
	<b>European Starling</b>	G	P, E	C	P=Permanent, occurs in WV year round	
					S=Summer resident	
<b>Waxwings</b>					V=Visitant, appears in WV regularly	
	<b>Cedar waxwing</b>	F, T	P	C	W=Winter resident	
<b>Wood warblers</b>					<b>Abundance Codes</b>	
	Blue-winged Warblers (N)	H, T	S	C	C=Commonly encountered in WV	
	Golden-winged Warbler (N)	H, T	S	O	O=Occasionally encountered in WV	
	Tennessee Warbler (N)	G	M	C	R=Rarely encountered in WV	
	Nashville Warbler (N) **	E, W	S, M	O		
	<b>Northern Parula (N)</b>	H	S	C	N - Neotropical	
	<b>Yellow Warbler (N)</b>	E, T	S	C		
	<b>Chestnut-sided Warbler (N)</b>	F, T	S, M	C		
	<b>Magnolia Warbler (N)</b>	T, S	S, M	O		
	Cape May Warbler (N)	G	M	O		
	<b>Black-throated Blue Warbler (N)</b>	S, H	S, M	C		
	<b>Yellow-rumped Warbler (N)</b>	S, T	M, S	O		
	<b>Black-throated Green Warbler (N)</b>	H	S, M	C		
	<b>Blackburnian Warbler (N)</b>	S, H	S, M	O		
	Yellow-throated Warbler (N)	H	S	C		
	Pine Warbler (N)	P	S	O		
	Prairie Warbler (N)	H, T	S	C		
	Palm Warbler (N)	F, T	M	R		
	Bay-breasted Warbler (N)	G	M	O		
	Blackpoll Warbler (N)	G	M	O		
	Cerulean Warbler (N)	H	S	C		
	Black-and-white Warbler (N)	H	S, M	C		
	<b>American Redstart (N)</b>	H	S, M	C		
	Worm-eating Warbler (N)	H	S	C		
	<b>Ovenbird (N)</b>	H	S	C		
	<b>Northern Waterthrush (N)</b>	W, S	S, M	O		
	<b>Louisiana Waterthrush (N)</b>	H, W	S	C		
	Kentucky Warbler (N)	H	S	C		
	Connecticut Warbler (N)	T	M	R		
	<b>Mourning Warbler (N)</b>	S, H, T	S	O		
	<b>Common Yellowthroat (N)</b>	T, F	S	C		
	Hooded Warbler (N)	H	S	C		
	Wilson's Warbler (N)	G	M	O		
	<b>Canada Warbler (N)</b>	H, S, T	S	O		
	Yellow-breasted Chat (N)	T	S	C		
<b>Tanagers</b>						
	<b>Scarlet Tanager (N)</b>	H	S	C		
<b>Towhees &amp; Sparrows</b>						
	<b>Eastern Towhee</b>	H, F	P	C		
	<b>Chipping Sparrow</b>	R, E, T	S	C		

### Cranberry Glades Botanical Area Bird Inventory

Bird names in bold print have been sighted in this region; non-bold bird names have been sighted in Pocahontas County.



		Habitat	Status	Abundance	Habitat Codes	NOTES
	<b>Field Sparrow</b>	E, F	S	C		
	Vesper Sparrow	F	S, M	O		
<b>Towhees &amp;</b>	Savannah Sparrow	F	S	O	<b>Habitat Codes</b>	
<b>Sparrows (Cont)</b>	Grasshopper Sparrow	F	S	O	E=Forest/field edges	
	<b>Fox Sparrow</b>	F, T	W, M	O	F=Fields and clearings	
	<b>Song Sparrow</b>	F, T, R	P	C	G=Generalist, variety of habitats	
	<b>Swamp Sparrow</b>	W	P	O	H=Hardwood forests	
	<b>White-throated Sparrow **</b>	F, T, W	W, M, S	O	M=Mountain Cliffs	
	<b>White-crowned Sparrow</b>	P, H	W, M	O	P=Pine forests	
	<b>Dark-eyed Junco</b>	S, H, E	P	C	R=Towns and residential areas	
					S=High elevation – spruce forests	
					T-Thickets, heaths	
<b>Cardinals &amp;</b>					W=Wetlands, streams, open waters	
<b>Grosbeaks</b>	<b>Northern Cardinal</b>	F, T, R	P	C		
	<b>Rose-breasted Grosbeak (N)</b>	H	S	O	<b>Status Codes</b>	
	<b>Indigo Bunting</b>	E	S	C	E=Exotic, introduced birds	
					M=Spring and fall migrant	
					P=Permanent, occurs in WV year round	
<b>Blackbirds &amp;</b>					S=Summer resident	
<b>Orioles</b>	Bobolink (N)	F	S, M	O	V=Visitant, appears in WV regularly	
	<b>Red-winged Blackbird</b>	F, W	P	C	W=Winter resident	
	<b>Eastern Meadowlark</b>	F	P	C		
	Rusty Blackbird	T, W	M, W	O	<b>Abundance Codes</b>	
	<b>Common Grackle</b>	F, R	S, M	C	C=Commonly encountered in WV	
	<b>Brown-headed Cowbird</b>	H	P	C	O=Occasionally encountered in WV	
	Orchard Oriole (N)	F, H	S	O	R=Rarely encountered in WV	
	<b>Baltimore Oriole (N)</b>	F, R	S	C		
					N - Neotropical	
<b>Finches</b>	<b>Purple Finch</b>	S, H	P	O		
	<b>House Finch</b>	R	P	C		
	<b>Red Crossbill **</b>	S, P	W, S	O		
	<b>Common Redpoll</b>	T	V	O		
	<b>Pine Siskin</b>	H, S	W, M, S	O		
	<b>American Goldfinch</b>	E, F, R	P	C		
	<b>Evening Grosbeak</b>	S, H, R	V	O		
<b>Weaver Finches</b>	House Sparrow	R, F	P, E	C		
	END *****					